



Allerston 500mm Wall Mounted Single Drawer Basin Unit

INSAL5WMUGW, INSAL5WMUMLG, INSAL5WMUMSG



Specification	
Finish	Gloss White (INSAL5WMUGW) Matt Light Grey (INSAL5WMUMLG) Matt Storm Grey (INSAL5WMUMSG)
Overall Dimensions	530(h) x 500(w) x 425(d) mm (Including Basin)
Weight	12.2kg
Carcass Thickness	15mm
Carcass Material	MFC
Carcass Finish	Painted
Internal Cabinet Colour	Dark Grey
Plumbing Void	–
Cabinet Fixing Type	Adjustable Wall Hangers
Door / Drawer Finish	Painted
Door / Frontal Material	MDF
Number of Doors	–
Number of Drawers	One
Number of Internal Shelves	–
Door Handling	–
Hinge / Runner Type	Soft Close
Handle / Knob	One Handle
Handle Centres	160mm
Pre-Drilled / Marked for handles	Pilot Holes



Key Features + Benefits

2

Years Guarantee

Soft Close Drawers

One Taphole Basin

Certifications + Approvals

Please see next page

Roper Rhodes

Brassmill Lane Trading Estate, Bath, BA1 3JF. Technical Support – Tel: 01225 303 900 Email: sales@roperrhodes.co.uk

All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances.

Technical Data Sheet | Modular Furniture

www.instinctproducts.co.uk

Allerston 500mm Wall Mounted Single Drawer Basin Unit INSAL5WMUGW, INSAL5WMUMLG, INSAL5WMUMSG

FAQs

Q – Are the handles fitted?

A – No, handles require fitting. Unit comes with pilot holes drilled on back face. Chrome 160mm centre handles included with fixing.

Q – Are the drawer runners adjustable?

A – Yes, tilt adjustment can be made. Refer to instructions.

Q – Are the drawer runners soft close?

A – Yes.

Q – How thick is the drawer fascia?

A – 20mm with a 18mm radius in corners.

Q – How deep/wide is the unit with doors open?

A – Approx depth with 90 degree hinge 650mm.

Q – What is the drawer depth?

A – Approx. 280mm depth.

Q – What is the internal finish of the unit?

A – Dark grey internal finish on all finishes.

Q – Is the base of unit suppose to have no full depth base?

A – Yes, 60mm braces replace a full depth base to reduce weight as identified as unnecessary excess material.