INSTINCT®



Chi_INSEC002_TDS_V1

Technical Data Sheet | Sanitaryware

www.instinctproducts.co.uk

Chi Close Coupled Dual Flush Cistern (Inc. Fittings) INSEC002



Specification	
Finish	White
Dimensions	395(h) x 370(w) x 140(d) mm
Weight	11.5kg
Cistern Fitting Manufacturer	R&T
Lever	Push Button
Lever Position	Cistern Lid
Inlet Position (When looking at WC)	Right Hand

FAQs

Please see next page

Key Features + Benefits













Certifications + Approvals

Years Guarantee Years Guarantee Close Coupled on Ceramics on Cistern Components Cistern

15 Millbrook Industrial Estate, Sybron Way, Crowborough TN6 3DU. Technical Support – Tel: 01530 835598 Email: sales@imexceramic.co.uk






Chi_INSEC002_TDS_V1

Technical Data Sheet | Sanitaryware

www.instinctproducts.co.uk

Chi Close Coupled Dual Flush Cistern (Inc. Fittings) INSEC002

Cistern (INSEC002)







Della_INSDE001_INSDE002_INSDE003_TDS_V1

Technical Data Sheet | Sanitaryware

www.instinctproducts.co.uk

Della Standard Height Short Projection Open Back Close Coupled WC Suite INSDE001, INSDE002, INSDE003

FAQs

Q - What is the flush volume?

A-6/4L. Eco flush 4/2.6L.

Q - Is this pan rimless or box rim?

A – Box rim.

Q – What finish is the ceramic glaze?

A – White

Q – What finish is the flush button supplied with the cistern?

A – Chrome.

Q – Can the flush button be upgraded to a different finish?

A - Yes using INSFBMB (matt black).

Q - Does it have an airgap?

A – Yes

Q – What's the maximum test load of the seat?

A - 150kg.