${\sf Dene_INSDN001R_INSDN002_INSDN004_TDS_V2}$

Technical Data Sheet | Sanitaryware

www.instinctproducts.co.uk

Dene Standard Height Rimless Closed Back Close Coupled WC Suite INSDN001R, INSDN002, INSDN004



Cistern Specification Close Coupled Dual Flus (INSDN002)	h Cistern
Finish	White
Dimensions	380 x 360(w) x 140(d) mm
Weight	14kg
Cistern Fitting Manufacturer	R&T
Lever	Push Button
Lever Position	Cistern Lid
Inlet Position (When looking at WC)	Right Hand

Seat Specification

Duraplast Soft Close, Quick Release, Seat + Cover (INSDN004)

Finish	White
Dimensions	28(h) x 360(w) x 415(d) mm
Weight	3.11kg
Seat Hinge Material	Metal / Plastic
Antibacterial Protection	Yes
Seat Type	Standard
UV Protection	Yes
Max Load Test	150kg
Seat Material	Duraplus

Pan Specification

. Specification
Standard Height Rimless Closed Back
Close Coupled Pan
(INSDN001R)

Finish	White
Dimensions	430(h) x 360(w) x 660(d) mm
Weight	36.5kg
Fixing Supplied	Yes
Fixing Exposed or Concealed	Concealed

FAQs

Please see next page

Key Features + Benefits



on Ceramics





















Soft Close

Certifications + Approvals






Dene_INSDN001R_INSDN002_INSDN004_TDS_V2


Technical Data Sheet | Sanitaryware


www.instinctproducts.co.uk

Dene Standard Height Rimless Closed Back Close Coupled WC Suite INSDN001R, INSDN002, INSDN004


Pan (INSDN001R) + Cistern (INSDN002)








Seat (INSDN004)









Dene_INSDN001R_INSDN002_INSDN004_TDS_V2

Technical Data Sheet | Sanitaryware

www.instinctproducts.co.uk

Dene Standard Height Rimless Closed Back Close Coupled WC Suite

INSDN001R, INSDN002, INSDN004

FAQs

Q - What is the flush volume?

A-6/4L. Eco flush 4/2.6L.

Q - Is this pan rimless or box rim?

A - Rimless.

Q – What finish is the ceramic glaze?

A – White.

Q – What finish is the flush button supplied with the cistern?

A – Chrome.

Q – Can the flush button be upgraded to a different finish?

A – Yes using either INSFBBB (brushed brass) or INSFBMB (matt black).

Q - Does it have an airgap?

4 – Yes

Q – What's the maximum test load of the seat?

A - 150kg.