

Scale LED Illuminated Rectangular Mirror INST05037, INST05018, INST05039



Specification


	INST05037 (700x500mm)	INST05018 (600x800mm)	INST05039 (600x1200mm)
Finish	Black	Black	Black
Dimensions	700(h) x 500(w) x 55(d) mm	600(h) x 800(w) x 55(d) mm	600(h) x 1200(w) x 55(d) mm
Weight	6.2kg	6.5kg	4.8kg
Lighting Type	LED	LED	LED
Colour Changing Technology (CCT)	No	No	No
Switch Location	Front	Front	Front
Surface/Recess Fitting	Surface	Surface	Surface
Carcass/Frame Construction Material	Aluminium	Aluminium	Aluminium
Glass Thickness	5mm	5mm	5mm

Features

Hanging	Can be hung landscape or portrait (INST05018)
Charging	Shaver socket and USB socket

FAQs

Please see following pages



Key Features + Benefits

5 Years Guarantee	2 Years Guarantee Electrical Components	 USB Charging Socket	 Charging Socket	IP44 IP44 Rated	LED LED Lighting	 Infrared Controls
 Heated Demister Pad	 Portrait or Landscape Hanging					

Certifications + Accreditations

Roper Rhodes

Brassmill Lane Trading Estate, Bath, BA1 3JF. Technical Support – Tel: 01225 303 900 Email: sales@roperrhodes.co.uk


All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances.

Technical Data Sheet | Cabinets + Mirrors


www.instinctproducts.co.uk

Scale LED Illuminated Rectangular Mirror INST05037, INST05018, INST05039


Rectangular (INST05086)



Circular – ø600mm (INST05087)



Circular – ø800mm (INST05088)



Roper Rhodes

Brassmill Lane Trading Estate, Bath, BA1 3JF. Technical Support – Tel: 01225 303 900 Email: sales@roperrhodes.co.uk

All information on the data sheet is correct at the time of publication. All measurements are approximate and subject to standard tolerances.

Scale LED Illuminated Rectangular Mirror INST05037, INST05018, INST05039

FAQs

	INST05037 (700x500mm)	INST05018 (600x800mm)	INST05039 (600x1200mm)
Can the mirror be hung landscape?	Yes	Yes	Yes
What is the thickness of the mirror glass?	5mm	5mm	5mm
Is the cabinet IP44 rated?	Yes – Suitable for use in bathroom zone 2		
What size fuse should I use?	Seek the advice of an electrician		
What is the total power consumption?	58W	66W	88W
Does the cabinet have an energy rating?	A	A	A
What is the colour of the light and the Kelvin rating?	6500K	6500K	6500K
What is the Lumen of the LEDs?*	–	–	–
What is the wattage of the lights?	16W	18W	24W
Where is the Touch sensor located?	Front bottom right	Front bottom right	Front bottom right
Can the LED lighting be replaced?	No**	No**	No**
Can the Touch sensor be replaced?	No	No	No
What is the output of the demister pad?	13W	19W	37W
What are the dimensions of the demister pad?	250(h) x 350(w) mm	300(h) x 400(w) mm	300(h) x 750(w) mm
How do I turn on the demister pad?	The demister pad will turn on when the LEDs are turned on		
Are illuminated cabinets supplied with mains cable?	All illuminated mirrors are supplied with a removeable 500mm mains cable. There is ample storage for excess cable in the back of the unit		

*The Lumen represents the output of the LED. This may vary depending on the diffuser material i.e., glass or acrylic.

**The LEDs are not replaceable to maintain the integrity of the product's resistance to moisture ingress.