


Thurcroft_INSTH161FSBW_TDS_V1


Technical Data Sheet | Baths

www.instinctproducts.co.uk

Thurcroft 1610mm Freestanding Double Ended Boat Bath INSTH161FSBW









Specification	
Finish	White
Dimensions	695(h) x 1610(w) x 425/785(d) mm
Weight	47kg
Bath Type	Freestanding
Tapholes	Cannot be drilled
Water Capacity	195 Litres
Legs Supplied	Yes
Leg Fixing Type	Concealed
Legs Adjustable	Yes
Bath Surface Material	Acrylic
Bath Surface Material Thickness	3.2mm
Waste Supplied	Yes
Waste Integrated	No
Click Waste Finish	White
Overflow Bath Filler Can Be Fitted	No
Overflow Type	Integrated (Slot)
Overflow Height	355mm
Encapsulated Base Board	Yes
Base Board Material	MDF
Material Used to Cover Base Board	Fibreglass/Resin
Weight of Material used to cover base board	23.5kg
Bath Frame	Yes
Bath Frame Material	Stainless Steel

FAQs

Please see next page

Key Features + Benefits





Years Guarantee C

Bath Canacity

apacity

Certifications + Accreditations





Thurcroft_INSTH161FSBW_TDS_V1

Technical Data Sheet | Baths

www.instinctproducts.co.uk

Thurcroft 1610mm Freestanding Double Ended Boat Bath

INSTH161FSBW

FAQs

Q – What Trap is recommended for use with this bathtub?

- We recommend using a shallow bath trap with this bath tub. For other bath traps a void below the floor level may be required. The trap will require a $1 \, 1/2''$ BSP connection to connect with the waste.

Q – Is this bathtub supplied with a waste?

A – No, bathtub slotted click wastes can be purchased separately from the Instinct bathroom collection in a range of finishes.

Q - What colour is the overflow trim?

A - The bathtub is supplied with a neutral overflow slot.

Q - Do I need to purchase a bath tub overflow kit for this bath tub?

A - No, the bathfub is fitted with an integrated overflow channel, the only additional purchase required is a slotted click waste.

Q - What filling methods are recommended for this bathtub

A – We recommend using a Freestanding Bath Filler/Bath Shower Mixer, a Bath Shower Mixer/Bath Filler with stand pipes or a Wall Mounted Bath Filler.

Q - How heavy is this bathtub?

A – The unfilled weight is 38kg, the filled weight is 233kg. A structural engineer should be consulted to ensure that your floor is strong enough to support the weight of a filled bathtub.

Q - What material is used to make this bathtub?

- This bathtub is made from a double skin of 3.2mm acrylic, each skin is reinforced by a double layer of insulating fibreglass and resin. The bottom of the bath tub is reinforced using a 6mm thick MDF base board.

Q - Are the feet adjustable?

A – Yes, the feet are adjustable by a range of over 100mm. The feet are also installed with a ball joint to aid with levelling the bathtub.

Q - What is the overall capacity of the bathtub?

Q - Are the tap holes pre drilled?

A - The skirting is supplied connected to the bath tub.